

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	("5440747" "5701494" "5732210" "5764989" "4860195" "6567933" "6336184" "6249881" "6161199" "5745770" "5717851" "5615371" "5533192" "4881228" "0702297").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/10 13:13
S2	2	("6681280").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/07 14:47
S5	1	("20040088462").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/07 15:30
S6	22	("4860195" "4881228" "5440747" "5533192" "5615371" "5701494" "5717851" "5732210" "5745770" "5764989" "6161199" "6249881" "6336184" "6567933").PN. OR ("6681280").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/07 16:16
S7	14678	breakpoint or break-point or (break adj point) or break-interrupt or (break adj interrupt)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/07 17:27
S8	125729	condition\$4 near2 (instruction or operation)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/10 13:32
S9	132	S7 same S8	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/07 16:19
S10	15	("20030033592" "20030079159" "20030106045" "20030225838" "20040040013" "20040088462" "20040205720" "5732210" "5931956" "6282701" "6480818" "6658649" "6681280" "6836857" "6848097").PN. OR ("6981248").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/07 16:22

S11	66	("4819234" "4872167" "5168554" "5301325" "5333280" "5450575" "5504932" "5533192" "5557761" "5564054" "5581764" "5594864" "5598560" "5632032" "5652889" "5712996" "5754885" "5768591" "5768592" "5774721" "5787245" "5805892" "5812811" "5826265" "5867643" "5877766" "5887166" "5901315" "5903730" "5913925" "5953530" "5961639" "5966539" "5978902" "6002872" "6002879" "6009269" "6029005" "6049671" "6058493" "6059840" "6072952" "6101524" "6112293" "6151701" "6151704" "6158045" "6167358").PN. OR ("6480818"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/10 12:20
S12	22	("4635193" "4747045" "5249278" "5321828" "5371894" "5479652" "5533192" "5537550" "5572667" "5691920" "5704034").PN. OR ("5889981"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/07 17:02
S14	79	conditional adj S7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/10 09:31
S15	174	(S7).TI.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/07 17:28
S16	13	("4775886" "4860195" "5053944" "5165027" "5530804" "5640542" "5664159" "5694589" "5717909" "5983000" "6052801" "RE36766").PN. OR ("6477664").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 10:52
S22	5	(condition\$4 and S17).TI.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/09 10:00
S23	80	(condition\$4 and S17).AB.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 10:59
S24	125729	condition\$4 near2 (instruction or operation)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 10:59
S25	73	S17 with S24	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 11:00

S26	49	("4176394" "4179734" "4279016" "4306287" "4403284" "4409654" "4488227" "4598364" "4709324" "4725947" "4755997" "4783731" "4924382" "5095426" "5197138" "5237666" "5249278" "5265213" "5319763" "5341500" "5361348" "5367550" "5371894" "5379301" "5386519" "5448705" "5493664" "5530804" "5533192" "5564028").PN. OR ("5740413").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 11:53
S27	4691074	result\$3 or outcome\$1	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 13:44
S28	14678	breakpoint or break-point or (break adj point) or break-interrupt or (break adj interrupt)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 13:45
S29	117	condition\$3 with S27 with S28	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 13:45
S30	5	("4674089" "5047926" "5053949" "5056013" "5132971").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 14:11
S31	18	("4720778" "5450586").PN. OR ("5732210").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 16:12
S33	229	(717/129).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/08 17:10
S35	48	S33 @pd<"19991029"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/08 16:26
S36	12	("4429368" "4635193" "5371894" "5537559" "5560036" "5564028").PN. OR ("5754839"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 16:34
S37	61	("3813531" "3904860" "3937938" "4041471" "4080650" "4114730" "4206503" "4276595" "4293950" "4325121" "4338660" "4493027" "4502116" "4541048" "4554630").PN. OR ("4635193").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 16:38
S39	4723	condition adj code	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/08 17:10

S40	14678	breakpoint or break-point or (break adj point) or break-interrupt or (break adj interrupt)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 17:10
S41	17	S39 with S40	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/08 17:14
S42	14	(S39 same S40) not S41	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/08 17:14
S43	1166	(712/227-228).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 09:01
S44	527	(712/244).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 09:01
S52	1031	condition\$4 with S45	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/09 10:01
S53	60	condition\$4 with expression with S45	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/09 10:01
S54	29	("5375125" "5446900" "5652835" "5845125" "5860009" "5862379" "5910895" "5926176" "5953735" "5970248" "6021488").PN. OR ("6077312").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/09 10:03
S55	3	conditional with breakpoint with hardware	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 10:51
S56	54	condition with breakpoint with hardware	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 11:15
S57	0	Marek adj Gondzio	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 11:26
S58	0	SPAM with debugging-oriented with architecture	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 11:26

S63	12377	("712").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:12
S67	554	watchpoint or (data adj (breakpoint or break-point))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 16:32
S68	12377	("712").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 16:32
S69	92	S67 and S68	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 16:34
S70	146228	((two or S67) adj stage) or two-stage or 2-stage or heirarch\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 16:36
S71	1	S67 with S70	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 16:40
S72	1	S67 same S70	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 16:40
S73	4	(conditional adj breakpoint) and (breakpoint with address with register)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/10 09:34
S75	80	(breakpoint adj instruction) and (breakpoint with condition\$2)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/10 12:20
S76	29	("5440747" "5701494" "5732210" "5764989" "4860195" "6567933" "6336184" "6249881" "6161199" "5745770" "5717851" "5615371" "5533192" "4881228" "0702297").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/10 13:13
S77	8	S76 and (condition\$2 with breakpoint)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/10 13:13

S78	1657	conditional adj (instruction or operation)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/10 13:33
S79	14689	breakpoint or break-point or (break adj point) or break-interrupt or (break adj interrupt)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/10 13:33
S80	21	S79 same S78	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/10 13:33